



MicrobMonitor2

SAFETY DATA SHEET

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1	GHS Product Identifier	
	Product Name	MicrobMonitor2.
	Trade name	MicrobMonitor2.
	Product Code	ECHA16/MM/01 (MM2-001), ECHA16/MM/02 (MM2-005), ECHA16/MM/44 (MM2-044).
	CAS No.	Mixture.
	EINECS No.	Mixture.
1.2	Recommended use of the chemical and restrictions on use	
	Identified use(s)	Prepared culture media for the development of microorganisms (HS 38.21.00.00.00) originating in fuel samples or water associated with fuel from the following non-inclusive list of industrial sectors; aviation, petroleum, automotive, marine, power generation, military, fuel storage and end users of fuel.
	Uses advised against	Not to be used to test any substance / sample of human or animal origin.
1.3	Identity of manufacturer/importer and other suppliers	
	Distributor	Fueltrat Australia Pty 30 – 32 Temple Drive PO Box 205 Thomastown VIC 3074
	Manufacturer	ECHA Microbiology Ltd. Unit 22 & 23 Willowbrook Technology Park Llandogo Rd., CARDIFF CF3 0EF United Kingdom (UK). 613 9465 6011 Info@fueltrat.com.au
1.4	Emergency Phone No.	
	Manufacturer, United Kingdom	07970 150682 & 07813 833193

2. SECTION 2: HAZARDS IDENTIFICATION

2.1	Classification of the substance or mixture	
2.1.1	GHS Classification	Not classified as dangerous for supply/use.
2.1.2	Directive 67/548/EEC & Directive 1999/45/EC	Not classified as dangerous for supply/use.
2.2	Label elements	According to GHS Classification
	Hazard pictogram(s)	None.
	Signal word(s)	None.
	Hazard statement(s)	None.
	Precautionary statement(s)	None.

MicrobMonitor2

- 2.3 **Other hazards** None.
- 2.4 **Additional Information** No information available.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

No component is present at sufficient concentration to require a hazardous classification.

3.1 Mixtures

GHS Classification

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Water	>97	7732-18-5	231-791-2	None
Tryptone	<0.5	73049-73-7	None assigned	None
Purified Agar	<0.3	9002-18-0	232-658-1	None

Directive 67/548/EEC & Directive 1999/45/EC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Water	>97	7732-18-5	231-791-2	None
Tryptone	<0.5	73049-73-7	None assigned	None
Purified Agar	<0.3	9002-18-0	232-658-1	None

- 3.2 **Additional Information**
For full text of H/P statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation
Skin Contact
Eye Contact

Unlikely route of exposure.
Wash with plenty of soap and water.
Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. If symptoms persist, obtain medical attention.

Ingestion

Wash out mouth with water. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be required but if necessary treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

No special requirements.

4.4 Additional Information

Exposure to the content of used test kit: If symptoms occur obtain medical attention.



MicrobMonitor2

5. SECTION 5: FIRE-FIGHTING MEASURES

- | | |
|--|---|
| 5.1 Extinguishing media
Suitable Extinguishing Media
Unsuitable Extinguishing Media | As appropriate for surrounding fire.
None known. |
| 5.2 Special hazards arising from the substance or mixture | This product may give rise to hazardous fumes in a fire.
Hazardous decomposition product(s): Carbon monoxide, Carbon dioxide. |
| 5.3 Advice for fire-fighters | Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
Chemical protection suit. |

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

Spillage is unlikely to occur unless the glass bottles of the test kit are broken.

- | | |
|---|--|
| 6.1 Personal precautions, protective equipment and emergency procedures | Caution - spillages may be slippery. Wear protective gloves. |
| 6.2 Environmental precautions | Avoid release to the environment. |
| 6.3 Methods and material for containment and cleaning up
Unused test kit
Used test kit | Cover with absorbent or contain. Collect and dispose.
Cover with disinfectant. Wait for at least 10 minutes before recovering for disposal. If broken glass accidentally cuts the skin, clean the wound thoroughly and seek medical advice. |
| 6.4 Reference to other sections | See Also Section 8. |

7. SECTION 7: HANDLING AND STORAGE

- | | |
|---|---|
| 7.1 Precautions for safe handling | Wear appropriate personal protective equipment, avoid direct contact. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash the contaminated area of body with soap and fresh water. |
| 7.2 Conditions for safe storage, including any incompatibilities | Keep container tightly closed in a cool dark place.
Keep away from direct sunlight. |
| 7.2.1 Storage Temperature
Unused test kit
Used test kit | Ideal storage temperature: 2 – 8 °C.
Incubate at 25° (or the temperature of the system being tested). If an incubator is not available use a dark warm draught free cupboard at 25° C. |
| 7.2.2 Storage Life | Stable under normal conditions. |
| 7.2.3 Incompatible materials | No information available. |

MicrobMonitor2





8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LEL (8 hr TWA ppm)	LEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Water	7732-18-5	-	-	-	-	Not established
Tryptone	73049-73-7	-	-	-	-	Not established
Purified Agar	9002-18-0	-	-	-	-	Not established

Source: Australian National Occupational Health and Safety Commission Exposure Standards

8.1.2 Biological limit value	No information available.
8.2 Appropriate engineering controls	Ensure adequate ventilation.
8.3 Individual protection measures, such as personal protective equipment (PPE)	
Eye/face protection 	Wear protective eye glasses for protection against liquid splashes.
Skin protection 	Wear protective gloves.
Respiratory protection 	Not normally required.
Thermal hazards 	Not applicable.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Gel in a glass bottle.
Colour	Colourless - Yellow - Pink.
Odour	Odourless.
Odour Threshold (ppm)	Not established.
pH (Value)	6.5
Melting Point (°C)	90°C
Boiling Point (°C)	Not available.
Flash Point (°C)	Not applicable.
Evaporation rate	Not applicable.
Flammability	Non-flammable.
Explosive limit ranges	Not applicable.
Vapour Pressure (mm Hg)	Not applicable.
Vapour Density (Air=1)	Not applicable.
Specific Gravity	Not available.

MicrobMonitor2

	Solubility (Water)	Miscible.
	Solubility (Other)	No information available.
	Partition Coefficient (n-Octanol/water)	No information available.
	Auto Ignition Temperature (°C)	Not applicable.
	Decomposition Temperature (°C)	Not available.
	Viscosity (mPa.s)	Not applicable.
9.2	Other information	None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	Keep away from direct sunlight.
10.5	Incompatible materials	No information available.
10.6	Hazardous Decomposition Product(s)	No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
	Acute toxicity	Low acute toxicity. Used test kit: May be harmful and cause infection due to the presence of micro-organisms growing in the gel.
	Irritation	Non-irritant.
	Corrosivity	Not classified.
	Sensitisation	It is not a skin sensitiser.
	Repeated dose toxicity	None anticipated.
	Carcinogenicity	No evidence of carcinogenicity.
	Mutagenicity	There is no evidence of mutagenic potential.
	Toxicity for reproduction	Not classified.
11.2	Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Low toxicity to aquatic organisms.
12.2	Persistence and degradability	The product is readily biodegradable. Unlikely to persist.
12.3	Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4	Mobility in soil	Soluble in water.
12.5	Other adverse effects	None anticipated.



MicrobMonitor2

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	If there is evidence of microbial contamination (i.e red spots can be seen in the gel) then dispose of as non sterile and used test kits. If no growth is visible in the gel then dispose of as sterile and unused tests.
Sterile and Unused Microbmonitor2 tests	
Licensed Waste Contractor	Dispose of via an authorised person / licensed waste contractor in accordance with local, state or national legislation.
Incineration	Incineration may be carried out under controlled conditions provided local regulations for emissions are met by an authorised person / licensed waste contractor.
Non sterile and used Microbmonitor2 tests	
Disinfection followed by Licensed Waste Contractor	Sterilize the Microbmonitor2 kits by following manufacturers instructions provided with the test kit. Dispose of via an authorised person / licensed waste contractor in accordance with local, state or national legislation.
Incineration	Classify as a bio-hazardous infectious test kit showing growth. Incineration may be carried out under controlled conditions provided local regulations for emissions are met by an authorised person / licensed waste contractor.

14. SECTION 14: TRANSPORT INFORMATION

T.D.G. Classification

Not classified as dangerous for transport.

14.1 UN number	Not applicable.
14.2 Proper Shipping Name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing Group	Not applicable.
14.5 Environmental hazards	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

ECHA Microbiology Limited.

Unit 22 & 23 Willowbrook Technology Park, Llandogo Rd., CARDIFF CF3 0EF, UK

Tel: +44 (0)29 2036 5930 Fax: +44(0)29 2036 1195 E-mail: sales@echamicrobiology.com



MicrobMonitor2

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

AICS (Australian Inventory of Chemical Substances)	All chemicals listed.
Australian HVICL (High Volume Industrial Chemicals List)	Listed: Water (CAS No.: 7732-18-5)
National Occupational Health and Safety Commission (NOHSC) Approved Criteria for Classifying Hazardous Substances	All chemicals are not listed.
NICNAS Priority Existing Chemical (PEC)	All chemicals are not listed.
NPI (National Pollutant Inventory)	All chemicals are not listed.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ECHA Microbiology Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ECHA Microbiology Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.